

# MATERIAL SAFETY DATA SHEET - Silicone Coated Fiberglass Cloth 775

**GLT Products** Date Prepared: 4/21/03

6810 Cochran Road Emergency Phone: Chem-Tel 800/255-3924

Solon, OH 44139 Information Phone: 440/914-1122

#### **Section 1 – Product Identification**

Name: Silicone Coated Fiberglass Fabric

#### **Section 2 – Hazardous Ingredients**

Fibrous glass (textile grade) – 76% by wt.

TLV and PEL not listed.

## Other Ingredients:

Items listed in this section are either chemically or physically bonded to the fibrous glass textile and are deemed non-hazardous in the state supplied.

Silicone 16% by wt. Talc 5% by wt. Aluminum 3% by wt.

#### Section 3 - Health Hazard Data

Effects of exposure: May be skin irritant if product is severely damaged.

First aid procedures: Wash affected area with soap and water.

#### **Section 4 – Fire and Explosion Data**

Autoignition point: 700°F Extinguishing media: Water

No special fire fighting procedures required.

No unusual fire and explosion hazards.

## Section 5 – Physical Data

Boiling Point None

08/25/06 Great Lakes Textiles Silicone Coated FC 775



#### MATERIAL SAFETY DATA SHEET - Silicone Coated Fiberglass Cloth 775

Specific Gravity 2.0 (est.) **Softening Point** N/A **Melting Point** N/A Vapor Density N/A Percent Volatile N/A **Evaporation Rate** N/A Solubility in Water N/A Odor Odorless Appearance Fabric Silver Color

# Section 6 - Reactivity Data

Stability: Stable

Incompatibility (Conditions to avoid): Fabric strength is destroyed in strong bases and

hydrofluoric acid.

Hazardous Decomposition Products: In a fire, product produces small amounts of

incompletely burned hydrocarbon gases.

Hazardous Polymerization: None

# Section 7 - Spill and Disposal Procedures

Material can be brushed off, re-rolled and used.

Waste disposal procedure: Land fill, incompliance with local, state and federal regulations.

#### **Section 8 – Personal Protection Information**

Normal long sleeved work clothing and gloves should be worn.

Lifting devices may be needed for heavy rolls.

Wash work clothes separately from other clothing

Ventilation:

Local exhaust: None

Mechanical (general): Recommended

## Section 9 – Disclaimer

The information presented in this MSDS represents the most accurate known presentation of this product. However, due to the many and diverse variables in its end use, it is the end users responsibility to determine the suitability of this information for the adoption of the safety

08/25/06 Great Lakes Textiles Silicone Coated FC 775



# MATERIAL SAFETY DATA SHEET - Silicone Coated Fiberglass Cloth 775

precautions as may be necessary.

08/25/06 Great Lakes Textiles Silicone Coated FC 775