Date: 27 Aug 2012 MSDS ID: 20516 Revision: 1.0.1

Replaces: 1 Feb 2008

# **Material Safety Data Sheet**

Material Name: Calcium Silicate Insulation

#### Section 1 - Chemical Product and Company Identification

Product Name: Thermo-12® RainJacket
CAS# Mixture/None Assigned
Generic Name: Insulation (Calcium Silicate)

Formula: Mixture

Chemical Name: Synthetic Calcium Silicate

#### **Manufacturer Information**

Industrial Insulation Group, LLC 2100 Line Street Brunswick, GA 31520

Web site: www.iig-llc.com

# Chemical or Medical Emergency call INFOTRAC (24/7) 1-800-553-5053 Outside the US call collect +1-352-323-3500

RainJacket is a manufactured Article as defined in 29 CFR 1910.1200 (c) and in WHMIS HPA, Section 11(1) and Section 12(I) and is not expected to release more than very small amounts of any components.

# Section 2 - Composition and Information on Ingredients

Components that are not listed as health hazards in 29 CFR Part 1910, subpart Z or the latest edition of the NTP, or the Canadian WHMIS IDL are not shown in the following list.

			OSHA	ACGIH	NIOSH	
CAS#	Component	Percent	PEL	TLV	REL	UNITS
1344-95-2	Synthetic Calcium Silicate	>90	15(T) 5(R)	10	10(T) 5(R)	mg/M³
1344-09-8	Sodium Silicate	0 - 6	15(T) 5(R)	10	NE	mg/M³

Synthetic Calcium Silicate is not listed as a health hazard, but is included for information only.

NE = Not Established

ACGIH TLV's are 2006 values. OSHA PEL's are those in effect on the date of preparation of this MSDS. The listed PELs, TVLs and RELs are time weighted average exposure limits.

## **Section 3 - Hazards Identification**

#### **Emergency Overview**

APPEARANCE AND ODOR: Odorless, Yellow granular insulation with a factory-applied weather protective covering.

This product is an article and under normal conditions of use, this product is not expected to create any unusual emergency hazards. However, cutting, sawing, or abrading may increase the risk of personnel exposure. Inhalation of excessive amounts of dust created when fabricating, cutting, or other mechanical alterations of the product may cause temporary upper respiratory irritation and/or congestion - remove affected individuals to fresh air.

Skin irritation may be treated by gently washing affected area with soap and warm water.

Eye irritation may be treated by flushing eyes with large amounts of water. If irritation persists, contact a physician.

Prolonged contact with dust from this product may cause Dermatitis.

# **Potential Health Effects**

## **Summary:**

Breathing dust created when cutting or sawing or fabricating this product may cause a scratchy throat, congestion, and slight coughing.

Getting dust or fibers on the skin, or in the eyes may cause itching, rash, or redness.

Breathing large amounts of dust or fibers from this product may lead to chronic health effects as discussed below.

Copyright 2012 IIG 20516 Page 1 of 5

#### Inhalation:

Irritation of the upper respiratory tract (scratchy throat), coughing, and congestion may occur in extreme exposure.

#### Skin:

Temporary irritation (itching) or redness may occur.

# **Absorption:**

Not applicable.

#### Ingestion:

This product is not intended to be ingested or eaten under normal conditions of use. If ingested, it may cause temporary irritation to the gastrointestinal (GI) tract, especially the stomach.

#### Eyes:

Temporary irritation (itching) or redness may occur.

## **Target Organs:**

Upper respiratory passages, skin and eyes.

## **Primary Routes of Entry (Exposure):**

Inhalation (breathing dust), skin, and eye contact.

# **Medical Conditions Aggravated by Exposure:**

Pre-existing chronic respiratory, skin, or eye diseases or conditions may be aggravated by exposure to this product.

#### **Section 4 - First Aid Measures**

#### First Aid: Inhalation

Remove to fresh air. Drink water to clear throat, and blow nose to remove dust.

#### First Aid: Skin

Wash gently with soap and warm water to remove dust. Wash hands before eating or using the rest room.

## **First Aid: Ingestion**

Product is not intended to be ingested or eaten. If this product is ingested, irritation of the gastrointestinal (GI) tract may occur, and should be treated symptomatically. Rinse mouth with water then drink plenty of water to help reduce the irritation. No chronic effects are expected following ingestion.

#### First Aid: Eyes

Do not rub or scratch your eyes. Dust particles may cause the eye to be scratched. Flush eyes with large amounts of water for 5-15 minutes. If irritation persists, contact a medical professional.

# First Aid: Notes to Physician

This product is a mechanical irritant, and is not expected to produce any chronic health effects from acute exposures. Treatment should be directed toward removing the source of irritation with symptomatic treatment as necessary.

#### Section 5 - Fire Fighting Measures

Flash Point:
Upper Flammable Limit (UFL):
Auto Ignition:
Not applicable
Not applicable
Lower Flammable Limit (LFL):
Not determined
Non combustible
Not applicable
Lower Flammable Limit (LFL):
Insulation is
Non combustible

## **General Fire Hazard:**

There is no potential for fire or explosion.

#### **Extinguishing Media:**

Use any extinguishing media appropriate for the surrounding fires.

# Fire Fighting Equipment/Instructions:

No special procedures are expected to be necessary for this product. Normal fire fighting procedures should be followed to avoid inhalation of smoke and gases produced by other materials.

#### Section 6 - Accidental Release Measures

#### **Containment Procedures:**

Pick up large pieces. Vacuum dust. If sweeping is necessary, use a dust suppressant such as water. Do not dry sweep dust accumulation or use compressed air for clean-up. These procedures will help to minimize potential exposures.

#### Clean-Up Procedures:

Wastes are not hazardous as defined by the RCRA (40 CFR 261). Comply with state and local regulations for disposal of these products. If you are unsure of the regulations, contact your local Public Health Department, or the local office of the Environmental Protection Agency (EPA).

Copyright 2012 IIG 20516 Page 2 of 5

#### Section 7 - Handling and Storage

## **Handling Procedures:**

Use protective equipment as described in Section 8 of this Material Safety Data Sheet when handling uncontained material. Good housekeeping practices should be used to prevent generation and accumulation of dusts. After handling product, wash face and hands before eating, drinking, or smoking.

#### **Storage Procedures:**

Warehouse storage should be in accordance with package directions, if any. Material should be kept dry, and protected from the elements.

## Section 8 - Exposure Control and Personal Protection

#### **General Product Information:**

This product may contain trace amounts of crystalline silica as a natural contaminant in the raw materials. However, standard industrial hygiene air monitoring surveys conducted under normal and test (worse-case) situations have not detected any reportable crystalline silica in the respirable dust in the occupational environment.

# Personal Protective Equipment: Eyes/Face

Safety glasses with side shields are recommended to keep product out of the eyes.

## **Personal Protective Equipment: Skin**

Leather or cotton gloves should be worn to prevent skin contact and irritation. Barrier creams may also be used to reduce skin contact and irritation.

## **Personal Protection Equipment: Respiratory**

A respirator should be used if ventilation is unavailable, or is inadequate for keeping dust and fiber levels below the applicable exposure limits. Operations such as sawing, fabricating, or cutting may generate airborne particulate concentrations requiring a higher level of respiratory protection. In those cases, use a NIOSH-certified disposable or reusable particulate respirator with an efficiency rating of N95 or higher (under 42 CFR 84) when working with this product. For exposures up to five times the established exposure limits use a quarter-mask respirator, rated N95 or higher. For exposure limits up to ten times the established exposure limits use a half-mask respirator (e.g., MSA's DM-11, Racal's Delta N95, 3M's 8210), rated N95 or higher. For exposures up to 50 times the established exposure limits use a full-face respirator, rated N99 or higher.

# Ventilation

In fixed manufacturing settings, local exhaust ventilation should be provided at areas of cutting to remove airborne dust and fibers. General dilution ventilation should be provided as necessary to keep airborne dust and fibers below the applicable exposure limits and guidelines. The need for ventilation systems should be evaluated by a professional industrial hygienist, while the design of specific ventilation systems should be conducted by a professional engineer.

# Personal Protective Equipment: General

Loose-fitting, long sleeved clothing should be worn to protect the skin from irritation. Exposed skin areas should be washed with soap and warm water after handling.

#### Section 9 - Physical & Chemical Properties

**Appearance:** Granular insulation with yellow coloring and covered with a laminated foil weather protective covering.

Odor: Odorless Not applicable pH: **Physical State:** Solid Vapor Density: Not applicable **Vapor Pressure:** Not applicable **Melting Point:** 1200-1500 °C **Boiling Point:** Not applicable **Specific Gravity:** 0.24 - 0.27Solubility (H<sub>2</sub>O): **Freezing Point:** Not applicable Not applicable Viscosity: Not applicable **Evaporation Rate:** 

VOC: Not Applicable Percent Volatile: 0

# Section 10 - Chemical Stability & Reactivity Information

#### **Chemical Stability**

This is a stable material. This product is not reactive.

## **Hazardous Decomposition**

None.

# **Hazardous Polymerization**

Will not occur.

Copyright 2012 IIG 20516 Page 3 of 5

## Section 11 - Toxicological Information

## **Acute Toxicity**

#### A: General Product Information:

The primary acute health effects of this product include mechanical irritation of the skin and eyes and skin dryness as a result of contact with dust and fibers.

# B: Component Analysis - LD50/LC50:

No LD50/LC50's are available for this product or its components.

#### Carcinogenicity

#### A: General Product Information:

OSHA, NTP, IARC, and ACGIH have not classified this product in its entirety as a carcinogen.

# **B:** Component Carcinogenicity:

## Calcium Silicate (1344-95-2)

ACGIH: A4 - Not Classifiable as a Human Carcinogen.

## Section 12 - Ecological Information

## **Ecotoxicity**

#### A: General Product Information:

No data available for this product.

## **B:** Component Analysis - Ecotoxicity - Aquatic Toxicity:

No ecotoxicity data are available for this product's components.

# Section 13 - Disposal Considerations

# **US EPA Waste Number & Description**

#### A: General Product Information:

This product, as supplied, is not regulated as a hazardous waste by the U.S. Environmental Protection Agency (EPA) under Resource Conservation and Recovery Act (RCRA) regulations. Comply with state and local regulations for disposal. If you are unsure of the regulations, contact your local Public Health Department, or the local office of the EPA.

# **B: Component Waste Numbers:**

No EPA Waste Numbers are applicable for this product's components.

# **Disposal Instructions:**

Dispose of waste material according to Local, State, Federal, and Provincial Environmental Regulations.

#### **Section 14 - Transport Information**

#### **US DOT Information:**

Shipping Name: This product is not classified a hazardous material for transport.

#### <u>Section 15 - Regulatory Information</u>

## **US Federal Regulations**

# **A: General Product Information:**

No information on this product as a whole.

# **B: Component Analysis:**

None of this product's components are listed under SARA Section 302 (40 CFR 355 Appendix A), SARA Section 313 (40 CFR 372.65), or CERCLA (40 CFR 302.4).

## **State Regulations**

# A: General Product Information:

No information available for the product.

## **Other Regulatory Information**

## A: General Product Information:

No information available for the product.

#### **B: TSCA Status:**

No information available for the product.

## **International Regulations**

# A: Canada Workplace Hazardous Materials Information Systems (WHIMS):

WHMIS Classification: D2B - Irritant

# **B: Component Analysis - WHMIS IDL**

The following components are identified under the CHPA IDL:

Sodium Silicate - CAS 1344-09-08.

Copyright 2012 IIG 20516 Page 4 of 5

#### **Section 16 - Other Information**

This product has been classified according to the hazard criteria of the CPR and the MSDS contains all the information required by the CPR.

This MSDS prepared by the IIG Technical Services Dept.

## Key/Legend:

EPA = Environmental Protection Agency; TSCA = Toxic Substance Control Act; ACGIH = American Conference of Governmental Industrial Hygienists; IARC = International Agency for Research on Cancer; NIOSH = National Institute for Occupational Safety and Health; NTP = National Toxicology Program; OSHA = Occupational Safety and Health Administration; NFPA = National Fire Protection Association; HMIS = Hazardous Material Identification System; RCRA = Resource Conservation and Recovery Act; CERCLA = Comprehensive Environmental Response, Compensation and Liability Act; SARA = Superfund Amendments and Reauthorization Act; DSL = Canadian Domestic Substance List; EINECS = European Inventory of New and Existing Chemical Substances; WHMIS = Workplace Hazardous Materials Information System; CAA = Clean Air Act; CHPA=Canadian Hazardous Product Act; IDL=Canadian Hazardous Disclosure List

## **Revision Summary:**

This is a revised MSDS which replaces Revision 1.0.0 minor wording revision with new logo. Get this and other MSDS forms electronically via internet: http://www.iig-llc.com.

As of the date of preparation of this document, the foregoing information is believed to be accurate and is provided in good faith to comply with applicable federal and state law(s). However, no warranty or representation with respect to such information is intended or given.

IMPORTANT SAFETY NOTICE: The information in this MSDS relates only to the specific material described herein and does not relate to use in combination with any other material or substance or in any process. Because of the use of this information and the conditions of use of this product are not within the control of Industrial Insulation Group, it is the users obligation to determine the conditions of safe use of this product. Users of this product should study this MSDS and become aware of the product hazards and safety information before using this product. Users should also notify their employees, agents, and contractors regarding information contained in this MSDS and any product hazards and safety information in order to provide for safe use of this product.

Copyright 2012 IIG 20516 Page 5 of 5