

 145 LEHIGH AVENUE
 LAKEWOOD, N.J. 08701

 Phone: (732) 634-5700
 Fax: (732) 634-1430



DESCRIPTION

Alpha-Sil Style 600 is a medium weight silica fabric, tan in color, with superior physical and thermal characteristics compared to traditional silica fabrics.

APPLICATIONS

Alpha-Sil Style 600 is intended for use in any application where high heat resistance and thermal protection is required, such as furnace curtains, stress relieving blankets, welding blankets and other heat shielding applications.

ALPHA - SIL

STYLE 600

ADVANTAGES

The unique properties of Alpha-Sil Style 600 make it an extremely cost-effective alternative to regular silica fabrics with superior physical properties, such as abrasion resistance and breaking strength, as a bonus.

PROPERTY DATA STYLE 600					
CHARACTERISTIC	METHOD		VALUES*		
WEIGHT THICKNESS	ASTM-D-3776 ASTM-D-1777	<u>ENGLISH</u> 18.0 oz/sy ± 10% .030" ± 10%		<u>METRIC</u> 612 g/m² ± 10% 0.762 mm ± 10%	
BREAKING STRENGTH	ASTM-D-579	Warp- Fill-	560 lbs/in. 350 lbs/inch	100.0 kg/cm 62.51 kg/cm	
TEMPERATURE RESISTANCE		Continuous Use: 1800 °F Melt temperature: 3000 °F Linear Shrinkage: 5% @ 1800 °F		Cont. 982 °C , Melt. 1649 °C	
BASE FABRIC and WEAVE		Silica/8 H	Silica/8 Harness Satin		
COLOR		Light Tan	Light Tan		
ABRASION RESISTANCE	MIL-C-24576A	750 Cycle	750 Cycles min.		
WIDTH - 35" (88.9 cm)	LENGTH - 50 yds.(45.72 meters)				

DATA SHEET 13093 REV C DATE: 12/08/00 * All values are nominal unless otherwise specified.

Specializing in marine, aerospace, automotive and commercial fabrics for thermal and industrial applications

All statements herein are expressions of opinion that we believe to be accurate and reliable, but are presented without guaranty or responsibility on our part. Statements concerning possible use of our products are not intended as recommendations for their use alone or in combination with any materials or elements to infringe any patents. No patent warranty of any kind, express or implied, is made or intended.